



## EXPLODED VIEW PARTS LIST

No.	PART NO.	DESCRIPTION
	120	EAB33775101 "Speaker,Full Range", EN1562C-6712 ND 10W 8OHM 82DB 100HZ 193.5 X 42 X 39.9 LUG KOREA TOPTONE
	121	EAB33893101 "Speaker,Tweeter", EN10D-6714 ND 10W 8OHM 82DB 0HZ 68 X 23 X 22.7 LUG KOREA TOPTONE
⚠	200	EAJ35565901 "LCD,Module-TFT", LC470WU1-SLB2 FULLHD 47INCH 1920X1080 550CD COLOR 72% 16/9 800:1(basic) DCR(1600:1) A-TW Pol. 12000K P7 LG PHILIPS LCD
⚠	300	ABJ32083306 Cabinet Assembly ", 47LF66-ZE LD75A 47"" XG569 Cabinet Assy"
⚠	400	ACQ32083408 Cover Assembly", 47LB5DF-ZC LD75A 47"" HIPS 405AF EUROPASS3 BACK COVER ASS'Y FOR C/SKD,NONE SLOT CARD"
	500	6500VR0003E "Sensor,Ambient Light", "YGCA-T071C 12 HOUSING BK 26.4X20X26.4mm VOUT 5V(AT 80LUX) LG INNOTEK CO., LTD"
	510	EBR36626111 "PCB Assembly,Sub", SUB T.T LD75A 47LF65-ZC SEKLLJG PRE_AMP PCB TOTAL
	520	EBR35599601 "PCB Assembly,Sub", SUB T.T LD75A 47LB5DF - CONTROL KEY TOTAL
	530	EBR35590501 "PCB Assembly,Sub", SUB T.T LD75A 47LB5DF - SIDE_AV TOTAL
⚠	600	EAY32816901 "SMPS,AC/DC", "FSP327-6F01 90VTO264V 375W 50/60 CB, UL, IEC600,650 etc... LCD 47inch SPI PSU for New chassis(E3 etc...) SPI ELECTRONIC CO.,LTD"
	610	EBR37603612 PCB Assembly, MAIN, T.T LD75A 47LF65-ZC SEULLJG MAIN PCB Assembly for MA_SKD Without Tuner Assy
	800	MGJ32889304 "Plate,Metal", PRESS SBHG1 1.6 METAL EGI BAR TOP(47LY3)_ NORMAL MODULE_ FOR C/SKD
	801	MGJ32889604 "Plate,Metal", PRESS SBHG1 1.6 METAL EGI BAR BOTTOM (47LY3)_GENERAL MODULE_ FOR C/SKD
	802	MGJ32890003 "Plate,Metal", "PRESS SBHG1 1.6 METAL EGI BAR RIGHT (47LB4, PEM-NUT 'YES') FOR C/SKD"
	803	MGJ32897004 "Plate,Metal", "PRESS SBHGI 1.6 METAL EGI BAR CENTER (47LY3),FAD30046142(PEMNUT) FOR C/SKD"
	804	MGJ32889802 "Plate,Metal", "PRESS SBHG1 1.6 METAL EGI METAL BAR, LEFT (47LY3) FOR C/SKD"
	805	MGJ32897105 "Plate,Metal", PRESS SBHG1 1.6 METAL EGI BAR SIDE TOP (47LB5DF-ZC) EP3_FULL HD FOR C/SKD
	806	MGJ32897205 "Plate,Metal", PRESS SBHG1 1.6 METAL EGI METAL BAR SIDE BOTTOM (47LB5DF-ZC) EP3_FULL HD FOR C/SKD
	807	MGJ32897302 "Plate,Metal", PRESS SBHG1 1.6 METAL EGI BAR SUPPORTER (47LY3) FOR C/SKD
	810	MJH32521105 Supporter, "PRESS EGI 0.5t GUIDE EGI METAL, REAR SHIELD (37LC4D-ZA),C/SKD"
	820	MGJ37663503 "Plate,Shield", PRESS SPTE 0.5 SHIELD SPTE 47LY3/LB4/LB5/LC7 POWER SHIELD FOR C/SKD
	830	EBR36524801 "PCB Assembly,Sub", SUB T.T LA71A 42LY3DR-NA AKRLLH AC-Intet Ass'y Total
	850	MAZ37752001 Bracket, MOLD HPS 51SF HANDLE 47LB4 LD73A HIPS 51SF 47LB4 CABLE MANAGEMENT
⚠	900	AAN33079802 Base Assembly, STAND 47LB5 LD75A STAND ASSY_NO_PRINT C/SKD (HIGH GLOSSY ROUND TYPE)

# REPLACEMENT PARTS LIST

DATE: 2007. 04. 16.

LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
<b>ACCESSORY</b>					
A1	MFL36914902	"Manual, OwnersPRINTING USER PD75A LG"	C1116	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
A2	MKJ32022835	Remote ControllerCOMPLEX LD75A 47LB	C1119	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
A3	6410TEW010A	"Power CordCEE,LP-34A&H05VV-FX3C,LS-"	C112	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
A4	6910VA1001A	"Battery,AlkalineLR6(STC) 1.5V 2.5AH"	C1120	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
A5	3840TWL027F	CardPRINTING WARRANTY LG EU/RUSSIA/	C1121	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
A6	3840VA0024D	CardPRINTING WARRANTY LG UK EXTENDE	C1123	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
A7	MBM30520909	CardPRINTING OTHERS LG 60PY3DF-ZA C	C1125	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
<b>CAPACITORS</b>					
C1	0CH3104K566	0805B104K500CT 100nF 10% 50V X7R -5	C113	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C100	0CC101CK41A	C1608C0G1H101JT 100pF 5% 50V C0G -5	C1132	0CC681CK41A	C1608C0G1H681JT 680pF 5% 50V C0G -5
C100	0CC470CK41A	C1608C0G1H470JT 47pF 5% 50V C0G -55	C1133	0CK104BF56A	C1005X7R104KET 100nF 10% 16V X7R -5
C100	0CC101CK41A	C1608C0G1H101JT 100pF 5% 50V C0G -5	C1134	0CK104BF56A	C1005X7R104KET 100nF 10% 16V X7R -5
C1003	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55	C1135	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C1004	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55	C1136	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C1005	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55	C114	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C1006	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55	C115	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C1007	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C116	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C1008	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C117	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C1009	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C118	0CE106WFKDC	MVK4.0TP16VC10M 10uF 20% 16V 16MA -
C101	0CE107SF6DC	VMV107M016S0ANE010 100uF 20% 16V 91	C119	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C101	0CC101CK41A	C1608C0G1H101JT 100pF 5% 50V C0G -5	C120	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C101	0CK103BH56A	C1005X7R1E103KT- 10nF 10% 25V X7R -	C1204	0CC221CK41A	C1608C0G1H221JT 220pF 5% 50V C0G -5
C101	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C1205	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C1010	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C1206	0CK102CK56A	0603B102K500CT 1nF 10% 50V X7R -55T
C102	0CE106WFKDC	MVK4.0TP16VC10M 10uF 20% 16V 16MA -	C1207	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C102	0CE107SF6DC	VMV107M016S0ANE010 100uF 20% 16V 91	C1208	0CK102CK56A	0603B102K500CT 1nF 10% 50V X7R -55T
C102	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C1209	0CC221CK41A	C1608C0G1H221JT 220pF 5% 50V C0G -5
C103	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C121	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C103	0CC470CK41A	C1608C0G1H470JT 47pF 5% 50V C0G -55	C1210	0CC221CK41A	C1608C0G1H221JT 220pF 5% 50V C0G -5
C104	0CK105CD56A	C1608X7R1A105KT 1uF 10% 10V X7R -55	C1211	0CC331CK41A	C1608C0G1H331JT 330pF 5% 50V C0G -5
C105	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C1215	0CC331CK41A	C1608C0G1H331JT 330pF 5% 50V C0G -5
C106	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C1216	0CC331CK41A	C1608C0G1H331JT 330pF 5% 50V C0G -5
C1068	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA	C1217	0CE106WH6DC	MVK5.0TP25VC10M 10uF 20% 25V 25MA -
C107	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C122	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C108	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C1225	0CE106WH6DC	MVK5.0TP25VC10M 10uF 20% 25V 25MA -
C109	0CK105CD56A	C1608X7R1A105KT 1uF 10% 10V X7R -55	C123	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C110	0CE106WFKDC	MVK4.0TP16VC10M 10uF 20% 16V 16MA -	C1232	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA
C1100	0CC100CK41A	C1608C0G1H100JT 10pF 5% 50V C0G -55	C1234	0CK102CK56A	0603B102K500CT 1nF 10% 50V X7R -55T
C1101	0CC100CK41A	C1608C0G1H100JT 10pF 5% 50V C0G -55	C1235	0CK102CK56A	0603B102K500CT 1nF 10% 50V X7R -55T
C1104	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55	C1236	0CE106WH6DC	MVK5.0TP25VC10M 10uF 20% 25V 25MA -
C1105	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55	C1237	0CE106WH6DC	MVK5.0TP25VC10M 10uF 20% 25V 25MA -
C1106	0CC120CK41A	C1608C0G1H120JT 12pF 5% 50V C0G -55	C1239	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C1108	0CC120CK41A	C1608C0G1H120JT 12pF 5% 50V C0G -55	C124	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C1109	0CK4R7CKFDA	0603N4R7J500LT 4.7pF 5% 50V C0G -55	C1244	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C111	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C1246	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C1110	0CK4R7CKFDA	0603N4R7J500LT 4.7pF 5% 50V C0G -55	C1247	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA
C1111	0CK4R7CKFDA	0603N4R7J500LT 4.7pF 5% 50V C0G -55	C125	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
			C126	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
			C127	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
			C128	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5

LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
C129	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C1358	0CH2122K516	0805B122K500CT 1.2nF 10% 50V Y5P -3
C130	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C1359	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C1300	0CK105DH56A	C2012X7R105KFT 1uF 10% 25V X7R -55T	C136	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C1301	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C1360	0CC331CK41A	C1608C0G1H331JT 330pF 5% 50V C0G -5
C1302	0CE108EH618	KMG5.0TP25VB1000M 1000uF 20% 25V 82	C1361	0CC331CK41A	C1608C0G1H331JT 330pF 5% 50V C0G -5
C1303	0CK105DH56A	C2012X7R105KFT 1uF 10% 25V X7R -55T	C1362	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C1304	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C1363	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C1305	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C1364	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C1306	0CK222CK56A	0603B222K500CT 2.2nF 10% 50V X7R -5	C1365	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C1307	0CK682CK51A	C1608Y5P1H682KT 6.8nF 10% 50V Y5P -	C1366	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C1308	0CK682CK51A	C1608Y5P1H682KT 6.8nF 10% 50V Y5P -	C1367	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C1309	0CE475WK6DC	MVK5.0TP50VC4.7M 4.7uF 20% 50V 19MA	C1368	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C131	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C1369	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C1310	0CE475WK6DC	MVK5.0TP50VC4.7M 4.7uF 20% 50V 19MA	C137	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C1311	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C1370	0CF4741L430	PCMT365 76474 470nF 5% 63V MPE -40T
C1312	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55	C1371	0CF4741L430	PCMT365 76474 470nF 5% 63V MPE -40T
C1313	0CE226WF6DC	MVK5.0TP16VC22M 22uF 20% 16V 30MA -	C1373	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C1314	0CC030CK01A	0603N3R0C500LT 3pF 0.25PF 50V C0G -	C138	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C1315	0CC030CK01A	0603N3R0C500LT 3pF 0.25PF 50V C0G -	C139	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C1316	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C140	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C1317	0CC560CK41A	C1608C0G1H560JT 56pF 5% 50V C0G -55	C1400	0CE475WK6DC	MVK5.0TP50VC4.7M 4.7uF 20% 50V 19MA
C1318	0CC560CK41A	C1608C0G1H560JT 56pF 5% 50V C0G -55	C1401	0CE475WK6DC	MVK5.0TP50VC4.7M 4.7uF 20% 50V 19MA
C1319	0CE335WK6D8	MVK4.0TP50VC3.3M 3.3uF 20% 50V 14MA	C1402	0CK682CK51A	C1608Y5P1H682KT 6.8nF 10% 50V Y5P -
C132	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C1403	0CK682CK51A	C1608Y5P1H682KT 6.8nF 10% 50V Y5P -
C1320	0CK474CH94A	0603F474Z250CT 470nF -20TO+80% 25V	C1404	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C1321	0CK474CH94A	0603F474Z250CT 470nF -20TO+80% 25V	C1407	0CE226WF6DC	MVK5.0TP16VC22M 22uF 20% 16V 30MA -
C1322	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55	C1408	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA
C1325	0CE226WF6DC	MVK5.0TP16VC22M 22uF 20% 16V 30MA -	C1409	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C1326	0CK474CH94A	0603F474Z250CT 470nF -20TO+80% 25V	C141	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C1327	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C1410	0CE476WF6DC	MVK6.3TP16VC47M 47uF 20% 16V 80MA -
C1329	0CK474CH94A	0603F474Z250CT 470nF -20TO+80% 25V	C1411	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C133	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C1412	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C1330	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55	C1413	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C1332	0CK474CH94A	0603F474Z250CT 470nF -20TO+80% 25V	C1418	0CK474CH94A	0603F474Z250CT 470nF -20TO+80% 25V
C1333	0CC101CK41A	C1608C0G1H101JT 100pF 5% 50V C0G -5	C1419	0CK474CH94A	0603F474Z250CT 470nF -20TO+80% 25V
C1335	0CK474CH94A	0603F474Z250CT 470nF -20TO+80% 25V	C142	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C1338	0CK471CK56A	C1608X7R1H471KT 470pF 10% 50V X7R -	C1420	0CK225DFK4A	C2012Y5V1C225MT 2.2uF 20% 16V Y5V -
C134	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C1421	0CC820CK41A	C1608C0G1H820JT 82pF 5% 50V C0G -55
C1340	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55	C1422	0CK474CH94A	0603F474Z250CT 470nF -20TO+80% 25V
C1341	0CE335WK6D8	MVK4.0TP50VC3.3M 3.3uF 20% 50V 14MA	C1423	0CK474CH94A	0603F474Z250CT 470nF -20TO+80% 25V
C1342	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C1426	0CK474CH94A	0603F474Z250CT 470nF -20TO+80% 25V
C1343	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA	C1428	0CK225DFK4A	C2012Y5V1C225MT 2.2uF 20% 16V Y5V -
C1344	0CE106WH6DC	MVK5.0TP25VC10M 10uF 20% 25V 25MA -	C1429	0CK474CH94A	0603F474Z250CT 470nF -20TO+80% 25V
C1345	0CE106WH6DC	MVK5.0TP25VC10M 10uF 20% 25V 25MA -	C143	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C1346	0CK474CH94A	0603F474Z250CT 470nF -20TO+80% 25V	C1439	0CK474CH94A	0603F474Z250CT 470nF -20TO+80% 25V
C1347	0CK474CH94A	0603F474Z250CT 470nF -20TO+80% 25V	C144	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C135	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C1440	0CK225DFK4A	C2012Y5V1C225MT 2.2uF 20% 16V Y5V -
C1350	0CE106WFKDC	MVK4.0TP16VC10M 10uF 20% 16V 16MA -	C1441	0CK474CH94A	0603F474Z250CT 470nF -20TO+80% 25V
C1351	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C1442	0CK225DFK4A	C2012Y5V1C225MT 2.2uF 20% 16V Y5V -
C1352	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C1444	0CK474CH94A	0603F474Z250CT 470nF -20TO+80% 25V
C1353	0CK222CK56A	0603B222K500CT 2.2nF 10% 50V X7R -5	C1445	0CK225DFK4A	C2012Y5V1C225MT 2.2uF 20% 16V Y5V -
C1354	0CC102CK41A	C1608C0G1H102JT 1nF 5% 50V C0G -55T	C1447	0CK474CH94A	0603F474Z250CT 470nF -20TO+80% 25V
C1355	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C1448	0CK474CH94A	0603F474Z250CT 470nF -20TO+80% 25V
C1356	0CC101CK41A	C1608C0G1H101JT 100pF 5% 50V C0G -5	C1449	0CK225DFK4A	C2012Y5V1C225MT 2.2uF 20% 16V Y5V -
C1357	0CC221CK41A	C1608C0G1H221JT 220pF 5% 50V C0G -5	C145	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5

LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
C1450	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C186	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C1451	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C187	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C1452	0CC150CK41A	C1608C0G1H150JT 15pF 5% 50V C0G -55	C188	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C1453	0CC150CK41A	C1608C0G1H150JT 15pF 5% 50V C0G -55	C189	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C146	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C190	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C147	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C191	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C148	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C192	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C149	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C193	0CK822CK46A	0603B822J500CT 8.2nF 10% 50V X7R -5
C150	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C194	0CK822CK46A	0603B822J500CT 8.2nF 10% 50V X7R -5
C151	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C195	0CC220CK41A	C1608C0G1H220JT 22pF 5% 50V C0G -55
C152	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C196	0CC100CK41A	C1608C0G1H100JT 10pF 5% 50V C0G -55
C153	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C197	0CK475CC94A	C1608Y5V0J475ZT 4.7uF -20TO+80% 6.3
C154	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C198	0CK475CC94A	C1608Y5V0J475ZT 4.7uF -20TO+80% 6.3
C155	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C199	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C156	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C200	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C157	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C201	0CC470CK41A	C1608C0G1H470JT 47pF 5% 50V C0G -55
C158	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C202	0CC101CK41A	C1608C0G1H101JT 100pF 5% 50V C0G -5
C159	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C203	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C160	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C204	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C161	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C206	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C162	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C207	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C163	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C209	0CK106EF56A	C3216X7R1C106KT 10uF 10% 16V X7R -5
C164	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C212	0CK106EF56A	C3216X7R1C106KT 10uF 10% 16V X7R -5
C165	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C213	0CK106EF56A	C3216X7R1C106KT 10uF 10% 16V X7R -5
C166	0CK106EF56A	C3216X7R1C106KT 10uF 10% 16V X7R -5	C216	0CK106EF56A	C3216X7R1C106KT 10uF 10% 16V X7R -5
C167	0CK106EF56A	C3216X7R1C106KT 10uF 10% 16V X7R -5	C218	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C168	0CK106EF56A	C3216X7R1C106KT 10uF 10% 16V X7R -5	C219	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C169	0CC100CK41A	C1608C0G1H100JT 10pF 5% 50V C0G -55	C220	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C170	0CC220CK41A	C1608C0G1H220JT 22pF 5% 50V C0G -55	C221	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C1700	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C222	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C1701	0CK104BF56A	C1005X7R104KET 100nF 10% 16V X7R -5	C224	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C1702	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C226	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA
C1703	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C227	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA
C1704	0CK475CC94A	C1608Y5V0J475ZT 4.7uF -20TO+80% 6.3	C228	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C1705	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C229	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C1706	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C230	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C1707	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C231	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C1708	0CE226WF6DC	MVK5.0TP16VC22M 22uF 20% 16V 30MA -	C232	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C1709	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C233	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C171	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55	C234	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C1710	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C235	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C172	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55	C236	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C173	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C237	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C174	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C238	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C175	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55	C239	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C176	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55	C240	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C177	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55	C241	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C178	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C242	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C179	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C243	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C180	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C301	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C181	0CE106WFKDC	MVK4.0TP16VC10M 10uF 20% 16V 16MA -	C302	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C182	0CK105CD56A	C1608X7R1A105KT 1uF 10% 10V X7R -55	C410	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C183	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C412	0CE106WFKDC	MVK4.0TP16VC10M 10uF 20% 16V 16MA -
C184	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C413	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5
C185	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C414	0CE106WFKDC	MVK4.0TP16VC10M 10uF 20% 16V 16MA -

LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
C415	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C635	0CK472CK56A	0603B472K500CT 4.7nF 10% 50V X7R -5
C429	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C636	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55
C430	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C637	0CK472CK56A	0603B472K500CT 4.7nF 10% 50V X7R -5
C515	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA	C638	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA
C516	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C639	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA
C517	0CE227WF6DC	MVK8.0TP16VC220M 220uF 20% 16V 80MA	C640	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA
C518	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C641	0CC470CK41A	C1608C0G1H470JT 47pF 5% 50V C0G -55
C519	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA	C642	0CC470CK41A	C1608C0G1H470JT 47pF 5% 50V C0G -55
C520	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C700	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C521	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C701	0CE226WF6DC	MVK5.0TP16VC22M 22uF 20% 16V 30MA -
C522	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA	C702	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C523	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA	C703	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C524	0CE477WF6DC	MVK10TP16VC470M 470uF 20% 16V 80MA	C704	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C525	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C705	0CE226WF6DC	MVK5.0TP16VC22M 22uF 20% 16V 30MA -
C526	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C706	0CK104BF56A	C1005X7R104KET 100nF 10% 16V X7R -5
C527	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA	C707	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C528	0CE227WF6DC	MVK8.0TP16VC220M 220uF 20% 16V 80MA	C708	0CK104BF56A	C1005X7R104KET 100nF 10% 16V X7R -5
C529	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C709	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C530	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C710	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C531	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C711	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C532	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C712	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C533	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA	C713	0CK104BF56A	C1005X7R104KET 100nF 10% 16V X7R -5
C534	0CE227WF6DC	MVK8.0TP16VC220M 220uF 20% 16V 80MA	C714	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C535	0CK105CD56A	C1608X7R1A105KT 1uF 10% 10V X7R -55	C715	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C537	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C716	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C539	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C717	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C540	0CK105CD56A	C1608X7R1A105KT 1uF 10% 10V X7R -55	C718	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C548	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA	C720	0CC120CK41A	C1608C0G1H120JT 12pF 5% 50V C0G -55
C549	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA	C721	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C550	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C722	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C551	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C723	0CE226WF6DC	MVK5.0TP16VC22M 22uF 20% 16V 30MA -
C553	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C724	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C554	0CK105CD56A	C1608X7R1A105KT 1uF 10% 10V X7R -55	C725	0CC200CK41A	C1608C0G1H200JT 20pF 5% 50V C0G -55
C555	0CK105CD56A	C1608X7R1A105KT 1uF 10% 10V X7R -55	C726	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C601	0CC101CK41A	C1608C0G1H101JT 100pF 5% 50V C0G -5	C727	0CE226WF6DC	MVK5.0TP16VC22M 22uF 20% 16V 30MA -
C602	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C728	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C603	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55	C729	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C604	0CC470CK41A	C1608C0G1H470JT 47pF 5% 50V C0G -55	C730	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C605	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C732	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C606	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C733	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C608	0CC101CK41A	C1608C0G1H101JT 100pF 5% 50V C0G -5	C734	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C609	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C736	0CE226WF6DC	MVK5.0TP16VC22M 22uF 20% 16V 30MA -
C610	0CC271CK41A	C1608C0G1H271JT 270pF 5% 50V C0G -5	C737	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C611	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA	C738	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C612	0CE476WF6DC	MVK6.3TP16VC47M 47uF 20% 16V 80MA -	C739	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C613	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA	C740	0CE226WF6DC	MVK5.0TP16VC22M 22uF 20% 16V 30MA -
C615	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C741	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C616	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	C742	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C623	0CC470CK41A	C1608C0G1H470JT 47pF 5% 50V C0G -55	C743	0CE226WF6DC	MVK5.0TP16VC22M 22uF 20% 16V 30MA -
C624	0CC470CK41A	C1608C0G1H470JT 47pF 5% 50V C0G -55	C744	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C625	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C745	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C626	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C746	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C627	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	C747	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5
C630	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA	C748	0CK475CC94A	C1608Y5V0J475ZT 4.7uF -20TO+80% 6.3
C633	0CK475CC94A	C1608Y5V0J475ZT 4.7uF -20TO+80% 6.3	C749	0CK104BF56A	C1005X7R104KET 100nF 10% 16V X7R -5





LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
C903	0CE476WF6DC	MVK6.3TP16VC47M 47uF 20% 16V 80MA -	D905	0DS226009AA	KDS226 1.2V 85V 300MA 2A 4NSEC 150M
C905	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55	D906	0DD100009AM	EU1ZV(1) 200V 2.5V 10UA 15A 400NSEC
C907	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA	ZD1100	EAH33946001	CDS3C05GTA 5.6V 6.4V 19V 1.9A 1W SO
C908	0CK104CF56A	0603B104K160CT 100nF 10% 16V X7R -5	ZD1101	EAH33946001	CDS3C05GTA 5.6V 6.4V 19V 1.9A 1W SO
C909	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55	ZD1104	EAH33945901	CDS3C30GTH 30V 50V 120V 1.9A 1W SOD
C910	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	ZD1105	EAH33945901	CDS3C30GTH 30V 50V 120V 1.9A 1W SOD
C911	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55	ZD1106	EAH33945901	CDS3C30GTH 30V 50V 120V 1.9A 1W SOD
C912	0CE476WF6DC	MVK6.3TP16VC47M 47uF 20% 16V 80MA -	ZD1107	EAH33945901	CDS3C30GTH 30V 50V 120V 1.9A 1W SOD
C914	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	ZD1108	EAH33945901	CDS3C30GTH 30V 50V 120V 1.9A 1W SOD
C915	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA	ZD1109	EAH33945901	CDS3C30GTH 30V 50V 120V 1.9A 1W SOD
C917	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	ZD1112	EAH33945901	CDS3C30GTH 30V 50V 120V 1.9A 1W SOD
C924	0CE107WH6DC	MVK8.0TP25VC100M 100uF 20% 25V 180M	ZD1113	EAH33945901	CDS3C30GTH 30V 50V 120V 1.9A 1W SOD
C925	0CE227WF6DC	MVK8.0TP16VC220M 220uF 20% 16V 80MA	ZD1114	EAH33945901	CDS3C30GTH 30V 50V 120V 1.9A 1W SOD
C928	0CE227WF6DC	MVK8.0TP16VC220M 220uF 20% 16V 80MA	ZD1201	EAH33946001	CDS3C05GTA 5.6V 6.4V 19V 1.9A 1W SO
C929	0CE227WF6DC	MVK8.0TP16VC220M 220uF 20% 16V 80MA	ZD1202	EAH33946001	CDS3C05GTA 5.6V 6.4V 19V 1.9A 1W SO
C931	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	ZD1203	EAH33945901	CDS3C30GTH 30V 50V 120V 1.9A 1W SOD
C932	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	ZD1211	EAH33946001	CDS3C05GTA 5.6V 6.4V 19V 1.9A 1W SO
C933	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	ZD1212	EAH33946001	CDS3C05GTA 5.6V 6.4V 19V 1.9A 1W SO
C934	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	ZD1218	EAH33945901	CDS3C30GTH 30V 50V 120V 1.9A 1W SOD
C935	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	ZD1219	EAH33945901	CDS3C30GTH 30V 50V 120V 1.9A 1W SOD
C937	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA	ZD1220	EAH33945901	CDS3C30GTH 30V 50V 120V 1.9A 1W SOD
C954	0CE477WF6DC	MVK10TP16VC470M 470uF 20% 16V 80MA	ZD1221	EAH33945901	CDS3C30GTH 30V 50V 120V 1.9A 1W SOD
C956	0CK474CH94A	0603F474Z250CT 470nF -20TO+80% 25V	ZD1222	EAH33945901	CDS3C30GTH 30V 50V 120V 1.9A 1W SOD
C957	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA	ZD1223	EAH33945901	CDS3C30GTH 30V 50V 120V 1.9A 1W SOD
C958	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA	ZD1224	EAH33945901	CDS3C30GTH 30V 50V 120V 1.9A 1W SOD
C959	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA	ZD1226	EAH33945901	CDS3C30GTH 30V 50V 120V 1.9A 1W SOD
C960	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	ZD1228	EAH33946001	CDS3C05GTA 5.6V 6.4V 19V 1.9A 1W SO
C961	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	ZD1229	EAH33946001	CDS3C05GTA 5.6V 6.4V 19V 1.9A 1W SO
C962	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5	ZD1300	0DZRM00248A	RLZ8.2B 8.2V 7.78TO8.19V 80HM 500MW
C969	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA			
C970	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA			
C971	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA			
C972	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5			
C973	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5			
C974	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5			
C975	0CE107WF6DC	MVK6.3TP16VC100M 100uF 20% 16V 80MA			
C977	0CK104CK56A	0603B104K500CT 100nF 10% 50V X7R -5			
C980	0CK103CK56A	0603B103K500CT 10nF 10% 50V X7R -55			
C981	0CE476WF6DC	MVK6.3TP16VC47M 47uF 20% 16V 80MA -			
ZD1102	0CC100CK41A	C1608C0G1H100JT 10pF 5% 50V C0G -55			
ZD1103	0CC100CK41A	C1608C0G1H100JT 10pF 5% 50V C0G -55			
<b>DIODEs</b>					
D100	EAH33945901	CDS3C30GTH 30V 50V 120V 1.9A 1W SOD	IC100	0IPRP00703B	STI5100GUC 3.3V 5u 27M PBGA TR 336P
D1000	0DD184009AA	KDS184 KDS184 TP KEC - 85V - - - 30	IC1002	0IMMRAL014D	AT24C02BN-10SU-1.8 2KBIT 256x8BIT 1
D1001	0DD184009AA	KDS184 KDS184 TP KEC - 85V - - - 30	IC1003	0IMMRAL014D	AT24C02BN-10SU-1.8 2KBIT 256x8BIT 1
D101	EAH33946001	CDS3C05GTA 5.6V 6.4V 19V 1.9A 1W SO	IC1004	EAN33595101	STHDMI002A 3.135TO3.465 9NSEC 9NSEC
D102	EAH33946001	CDS3C05GTA 5.6V 6.4V 19V 1.9A 1W SO	IC102	0ISTLPH026A	74LVC14APW 1.2TO3.6V 0.01mA SCHMITT
D103	EAH33945901	CDS3C30GTH 30V 50V 120V 1.9A 1W SOD	IC103	0IMP242560A	24LC256T-/SM 256KBIT 256KX8BIT 2.5
D104	EAH33945901	CDS3C30GTH 30V 50V 120V 1.9A 1W SOD	IC1100	0IMMRAL014D	AT24C02BN-10SU-1.8 2KBIT 256x8BIT 1
D900	0DS226009AA	KDS226 1.2V 85V 300MA 2A 4NSEC 150M	IC1101	0IPH741400E	74HC14D 2TO6V 0.002mA SCHMITT TRIGG
D902	0DS226009AA	KDS226 1.2V 85V 300MA 2A 4NSEC 150M	IC1102	0IPRP00009A	ICL3232CBNZ 3VTO5.5V - SSOP R/TP 16
D903	0DS226009AA	KDS226 1.2V 85V 300MA 2A 4NSEC 150M	IC1104	0ITO741570C	TC74LCX157FT 2TO3.6V 0.01mA MULTIPL
D904	0DS226009AA	KDS226 1.2V 85V 300MA 2A 4NSEC 150M	IC1105	0IMCRFA018A	NC7SB3157P6X_NL 1.65TO5.5V 0.001mA
			IC1106	0IMCRFA018A	NC7SB3157P6X_NL 1.65TO5.5V 0.001mA
			IC1300	0IMCRMN028C	MSP4450K-QA-D6 7.6TO8.7V_4.75TO5.25
			IC1301	0ILNR00261C	STA335BW 5TO26V 0 10% 20W 0W 80dB 2
			IC1400	0ISO206900A	CXA2069Q 8.5TO9.5V - - 1.3W QFP TR
			IC200	0IPMG78391A	SC2595STR 2.3TO5V 0 0W SOIC R/TP 8P
			IC201	0IMMRM027E	MX29LV320CTTC-70G 32MBIT 4MX8BIT_2M
			IC202	0IMMRIH038B	HYB25D(C)256160CE-5 256MBIT 4MX16BI
			IC300	0ISTLPH003B	74LVC541APW 1.2TO3.6V 0.01mA BUFFER
			IC301	0IMCRFA013A	74LCX244MTC 2TO3.6V 0.01mA BUFFER/L
			IC404	0ISTLPH026A	74LVC14APW 1.2TO3.6V 0.01mA SCHMITT
			IC410	0ITO741570C	TC74LCX157FT 2TO3.6V 0.01mA MULTIPL
			IC500	0IMCRSJ001A	SC15651ST-1.8 2.2TO5.5V 1.8V 0W SOT
			IC501	0IPMG00027A	SC156515M-1.8TR 2.2TO5.5V 1.8V 0W T
<b>ICs</b>					



LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
IC502	0IMCRSJ001B	SC15651ST-2.5TR 2.2TO5V 2.5V 0W SOT	L1403	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"
IC503	0IPMGKE030A	KIA78R05F 6TO12V 5V 8W DPAK R/TP 5P	L1404	EAM37276902	"Filter,LCRLCF20P101-TM LPF(EMI) 100"
IC504	0IPMGKE031A	KIA78R33F 4TO10V 3.3V 8W DPAK R/TP	L1405	EAM37574201	"Filter,LCRLC-2012-250JT LPF(EMI) 25"
IC505	0IPMGKE031A	KIA78R33F 4TO10V 3.3V 8W DPAK R/TP	L1406	EAM37574201	"Filter,LCRLC-2012-250JT LPF(EMI) 25"
IC506	0ISTL00029A	MC33078DR2G +-5TO+-18V 2mV 0.002% 0	L1407	EAM37574201	"Filter,LCRLC-2012-250JT LPF(EMI) 25"
IC600	0IPRP00602A	TPS2010ADR 2.7TO5.5V 8.6MSEC 3.4MSE	L1408	EAM37276902	"Filter,LCRLCF20P101-TM LPF(EMI) 100"
IC700	EAN33595901	"FLI8548H-LF-BE 300MVTO3.6V,300MVTO2"	L1409	EAM37276902	"Filter,LCRLCF20P101-TM LPF(EMI) 100"
IC701	0IMP242560A	24LC256T-I/SM 256KBIT 256KX8BIT 2.5	L1410	EAM37574201	"Filter,LCRLC-2012-250JT LPF(EMI) 25"
IC702	EAN34099701	M2404HEPROM 4KBIT 512 x 8bit 2.5VTO	L1412	6210TCE001E	"Filter,BeadHB-1M2012-800JT(H:1mm) 8"
IC800	EAN31729201	HY5DU561622ETP-4 256MBIT 16M * 16bi	L1413	6210TCE001E	"Filter,BeadHB-1M2012-800JT(H:1mm) 8"
IC801	EAN31729201	HY5DU561622ETP-4 256MBIT 16M * 16bi	L400	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"
IC802	0IMMRMR027E	MX29LV320CTTC-70G 32MBIT 4MX8BIT_2M	L606	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"
IC804	0IPMG78391A	SC2595STR 2.3TO5V 0 0W SOIC R/TP 8P	L607	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"
IC900	0IPMGFA061A	FAN1587AD33X 4.8TO10.3V 3.3V 0W TO2	L700	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"
IC901	0IPMGFA061A	FAN1587AD33X 4.8TO10.3V 3.3V 0W TO2	L701	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"
IC902	0IPMG00107A	AZ1117H-2.5TR/E1 15V 2.5V 0W SOT223	L703	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"
IC903	0IPMG00027A	SC156515M-1.8TR 2.2TO5.5V 1.8V 0W T	L704	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"
IC904	EAN32662801	KA7809ERTM 35V to 40V 9V 1W DPAK R/	L705	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"
			L706	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"
			L707	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"
			L800	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"
			L801	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"
			L900	6210TCE001X	"Filter,BeadHU-1H4532-121JT 120OHM 4"
			L901	EAM37574201	"Filter,LCRLC-2012-250JT LPF(EMI) 25"
			L902	EAM37574201	"Filter,LCRLC-2012-250JT LPF(EMI) 25"
			L903	EAM37574201	"Filter,LCRLC-2012-250JT LPF(EMI) 25"
			L904	EAM37574201	"Filter,LCRLC-2012-250JT LPF(EMI) 25"
			L905	EAM37574201	"Filter,LCRLC-2012-250JT LPF(EMI) 25"
			L906	EAM37574201	"Filter,LCRLC-2012-250JT LPF(EMI) 25"
			L907	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"
			L908	EAM37574201	"Filter,LCRLC-2012-250JT LPF(EMI) 25"
			L909	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"
			L911	6210TCE001X	"Filter,BeadHU-1H4532-121JT 120OHM 4"
			L912	6210TCE001X	"Filter,BeadHU-1H4532-121JT 120OHM 4"
			L913	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"
			L918	6210TCE001X	"Filter,BeadHU-1H4532-121JT 120OHM 4"
			L919	6210TCE001X	"Filter,BeadHU-1H4532-121JT 120OHM 4"
			L923	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"
			L925	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"
			L100	0LC2000005K	"Inductor,Multilayer,ChipFI-D2012-22"
			L109	0LC1032101A	"Inductor,Multilayer,ChipFI-C3216-10"
			L1209	0LCML00020G	"Inductor,Multilayer,ChipMLI-201209-"
			L1210	0LCML00020G	"Inductor,Multilayer,ChipMLI-201209-"
			L1213	0LCML00020G	"Inductor,Multilayer,ChipMLI-201209-"
			L1214	0LCML00020G	"Inductor,Multilayer,ChipMLI-201209-"
			L1216	0LCML00020G	"Inductor,Multilayer,ChipMLI-201209-"
			L1217	0LCML00020G	"Inductor,Multilayer,ChipMLI-201209-"
			L1218	0LCML00020G	"Inductor,Multilayer,ChipMLI-201209-"
			L1219	0LCML00020G	"Inductor,Multilayer,ChipMLI-201209-"
			L1220	0LCML00020G	"Inductor,Multilayer,ChipMLI-201209-"
			L1221	0LCML00020G	"Inductor,Multilayer,ChipMLI-201209-"
			L1222	0LCML00020G	"Inductor,Multilayer,ChipMLI-201209-"
			L1304	0LCTO00019A	"Inductor,Wire Wound,ChipD75C-646CY-"
			L1305	0LCTO00019A	"Inductor,Wire Wound,ChipD75C-646CY-"
			L1306	0LCTO00019A	"Inductor,Wire Wound,ChipD75C-646CY-"
<b>FILTERS &amp; INDUCTORS</b>					
L100	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"			
L101	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"			
L102	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"			
L103	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"			
L104	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"			
L105	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"			
L106	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"			
L108	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"			
L1101	6210TCE001L	"Filter,BeadHB-1T2012-102JT 1000OHM"			
L1102	6210TCE001L	"Filter,BeadHB-1T2012-102JT 1000OHM"			
L1104	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"			
L1105	6210TCE001P	"Filter,BeadHB-1S2012-121JT(H:1mm) 1"			
L1106	6210TCE001P	"Filter,BeadHB-1S2012-121JT(H:1mm) 1"			
L1107	6210TCE001P	"Filter,BeadHB-1S2012-121JT(H:1mm) 1"			
L1108	6210TCE001P	"Filter,BeadHB-1S2012-121JT(H:1mm) 1"			
L1109	6210TCE001P	"Filter,BeadHB-1S2012-121JT(H:1mm) 1"			
L1205	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"			
L1206	6210TCE001Z	"Filter,BeadHH-1M2012-600JT 60OHM 2X"			
L1207	6210TCE001Z	"Filter,BeadHH-1M2012-600JT 60OHM 2X"			
L1208	6210TCE001Z	"Filter,BeadHH-1M2012-600JT 60OHM 2X"			
L1211	6210TCE001L	"Filter,BeadHB-1T2012-102JT 1000OHM"			
L1212	6210TCE001L	"Filter,BeadHB-1T2012-102JT 1000OHM"			
L1215	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"			
L1300	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"			
L1301	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"			
L1302	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"			
L1303	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"			
L1309	6210TCE001S	"Filter,BeadHU-1M2012-121 120OHM 2X1"			
L1310	6210TCE001S	"Filter,BeadHU-1M2012-121 120OHM 2X1"			
L1311	6210TCE001S	"Filter,BeadHU-1M2012-121 120OHM 2X1"			
L1312	6210TCE001S	"Filter,BeadHU-1M2012-121 120OHM 2X1"			
L1314	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"			
L1315	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"			
L1401	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"			
L1402	6210TCE001G	"Filter,BeadHH-1M3216-501JT 500OHM 3"			

LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
L1307	0LCTO00019A	"Inductor,Wire Wound,ChipD75C-646CY-"	AR102	0RJ0472C687	RCA86TRJ47R0 47OHM 5% 1/16W 4 SMD R
L600	0LCTA00003A	"Inductor,Wire Wound,ChipLEMC3225T6R"	AR103	0RJ0472C687	RCA86TRJ47R0 47OHM 5% 1/16W 4 SMD R
L601	0LCTA00003A	"Inductor,Wire Wound,ChipLEMC3225T6R"	AR104	0RJ0472C687	RCA86TRJ47R0 47OHM 5% 1/16W 4 SMD R
L604	0LC0233002A	"Inductor,Multilayer,ChipFI-B2012-33"	AR105	0RJ0472C687	RCA86TRJ47R0 47OHM 5% 1/16W 4 SMD R
L605	0LCTA00003A	"Inductor,Wire Wound,ChipLEMC3225T6R"	AR106	0RJ0472C687	RCA86TRJ47R0 47OHM 5% 1/16W 4 SMD R
<b>TRANSISTORS &amp; FETs</b>			AR107	0RJ0472C687	RCA86TRJ47R0 47OHM 5% 1/16W 4 SMD R
Q100	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR108	0RJ0472C687	RCA86TRJ47R0 47OHM 5% 1/16W 4 SMD R
Q101	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR109	0RJ0472C687	RCA86TRJ47R0 47OHM 5% 1/16W 4 SMD R
Q1100	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR110	0RJ0472C687	RCA86TRJ47R0 47OHM 5% 1/16W 4 SMD R
Q1200	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR111	0RJ0472C687	RCA86TRJ47R0 47OHM 5% 1/16W 4 SMD R
Q1201	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR200	0RJ0222C687	RCA86TRJ22R0 22OHM 5% 1/16W 4 SMD R
Q1202	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR201	0RJ0222C687	RCA86TRJ22R0 22OHM 5% 1/16W 4 SMD R
Q1202	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR202	0RJ0222C687	RCA86TRJ22R0 22OHM 5% 1/16W 4 SMD R
Q1203	0TR102009AM	"TR,BipolarKRA102S PNP -30V 0V -50V"	AR203	0RJ0222C687	RCA86TRJ22R0 22OHM 5% 1/16W 4 SMD R
Q1204	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR204	0RJ0222C687	RCA86TRJ22R0 22OHM 5% 1/16W 4 SMD R
Q1300	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR205	0RJ0222C687	RCA86TRJ22R0 22OHM 5% 1/16W 4 SMD R
Q1301	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR206	0RJ0222C687	RCA86TRJ22R0 22OHM 5% 1/16W 4 SMD R
Q1302	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR700	0RZZH033273	MNR04M0ABJ330 33OHM 5% 1/16W 4 SMD
Q1303	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR701	0RZZH033273	MNR04M0ABJ330 33OHM 5% 1/16W 4 SMD
Q1303	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR702	0RZZH033273	MNR04M0ABJ330 33OHM 5% 1/16W 4 SMD
Q1304	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR703	0RJ0222C692	MNR04 M0APJ 220 22OHM 5% 1/16W 1005
Q1305	0TR102009AM	"TR,BipolarKRA102S PNP -30V 0V -50V"	AR704	0RJ0222C692	MNR04 M0APJ 220 22OHM 5% 1/16W 1005
Q1400	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR706	0RZZH033273	MNR04M0ABJ330 33OHM 5% 1/16W 4 SMD
Q1401	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR707	0RZZH033273	MNR04M0ABJ330 33OHM 5% 1/16W 4 SMD
Q1402	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR708	0RZZH033273	MNR04M0ABJ330 33OHM 5% 1/16W 4 SMD
Q1403	0TR150400BA	"TR,Bipolar2SA1504S(ASY) PNP -5V -50"	AR709	0RZZH033273	MNR04M0ABJ330 33OHM 5% 1/16W 4 SMD
Q1404	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR710	0RZZH033273	MNR04M0ABJ330 33OHM 5% 1/16W 4 SMD
Q400	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR800	EBC32260601	MNR04M0APJ101 100OHM 5% 1/16W 4 SMD
Q401	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR801	EBC32260601	MNR04M0APJ101 100OHM 5% 1/16W 4 SMD
Q402	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR802	EBC32260601	MNR04M0APJ101 100OHM 5% 1/16W 4 SMD
Q500	0TR102009AM	"TR,BipolarKRA102S PNP -30V 0V -50V"	AR803	EBC32260601	MNR04M0APJ101 100OHM 5% 1/16W 4 SMD
Q502	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR804	EBC32260601	MNR04M0APJ101 100OHM 5% 1/16W 4 SMD
Q503	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR805	EBC32260601	MNR04M0APJ101 100OHM 5% 1/16W 4 SMD
Q504	0TR150400BA	"TR,Bipolar2SA1504S(ASY) PNP -5V -50"	AR806	EBC32260601	MNR04M0APJ101 100OHM 5% 1/16W 4 SMD
Q602	0TR150400BA	"TR,Bipolar2SA1504S(ASY) PNP -5V -50"	AR807	EBC32260601	MNR04M0APJ101 100OHM 5% 1/16W 4 SMD
Q603	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR808	EBC32260601	MNR04M0APJ101 100OHM 5% 1/16W 4 SMD
Q604	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	AR809	EBC32260601	MNR04M0APJ101 100OHM 5% 1/16W 4 SMD
Q606	0TR150400BA	"TR,Bipolar2SA1504S(ASY) PNP -5V -50"	AR810	EBC32260601	MNR04M0APJ101 100OHM 5% 1/16W 4 SMD
Q607	0TR150400BA	"TR,Bipolar2SA1504S(ASY) PNP -5V -50"	R100	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
Q608	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	R100	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
Q609	0TR150400BA	"TR,Bipolar2SA1504S(ASY) PNP -5V -50"	R101	0RJ0752D677	MCR03EZPJ750 75OHM 5% 1/10W 1608 R/
Q800	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	R101	0RH1100D622	MCR10EZHJ111 110OHM 5% 1/8W 2012 R/
Q900	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	R101	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
Q901	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	R1016	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/
Q902	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	R1017	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/
Q903	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	R1018	0RJ6800D677	MCR03EZPJ681 680OHM 5% 1/10W 1608 R
Q904	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	R1019	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/
Q905	0TR387500AA	"TR,Bipolar2SC3875S(ALY) NPN 5V 60V"	R102	0RJ4700D677	MCR03EZPJ471 470OHM 5% 1/10W 1608 R
IC803	EBK32753101	FETS14925BDY P-CHANNEL MOSFET -30V	R102	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/
Q1001	0TR830009BA	FETBSS83 N-CHANNEL MOSFET 10V 2 50M	R102	0RH1101D622	MCR10EZHJ112 1.1KOHM 5% 1/8W 2012 R
<b>RESISTORS</b>			R102	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
AR100	0RJ0472C687	RCA86TRJ47R0 47OHM 5% 1/16W 4 SMD R	R1020	0RJ6800D677	MCR03EZPJ681 680OHM 5% 1/10W 1608 R
AR101	0RJ0472C687	RCA86TRJ47R0 47OHM 5% 1/16W 4 SMD R	R1021	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/
			R1022	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/
			R1023	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/

LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
R103	0RJ2203D677	MCR03EZPJ224 220KOHM 5% 1/10W 1608	R1118	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/
R103	0RJ0472D677	MCR03EZPJ470 470OHM 5% 1/10W 1608 R/	R1119	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/
R103	0RH3301D622	MCR10EZHJ332 3.3KOHM 5% 1/8W 2012 R	R112	0RJ2002D677	MCR03EZPJ203. 20KOHM 5% 1/10W 1608
R103	0RJ2002D677	MCR03EZPJ203. 20KOHM 5% 1/10W 1608	R112	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R
R1038	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1120	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608
R1039	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1121	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/
R104	0RJ4700D677	MCR03EZPJ471 470OHM 5% 1/10W 1608 R	R1122	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608
R104	0RH9101D622	MCR10EZHJ912 9.1KOHM 5% 1/8W 2012 R	R1123	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R104	0RJ1302D677	MCR03EZPJ133 13KOHM 5% 1/10W 1608 R	R1124	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R1040	0RJ4702D677	MCR03EZPJ473 47KOHM 5% 1/10W 1608 R	R1125	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R1041	0RJ4702D677	MCR03EZPJ473 47KOHM 5% 1/10W 1608 R	R1126	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/
R1042	0RJ4702D677	MCR03EZPJ473 47KOHM 5% 1/10W 1608 R	R1127	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R1043	0RJ4702D677	MCR03EZPJ473 47KOHM 5% 1/10W 1608 R	R1128	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R1044	0RJ3301D677	MCR03EZPJ332 3.3KOHM 5% 1/10W 1608	R1129	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R1049	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R113	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R
R105	0RJ2203D677	MCR03EZPJ224 220KOHM 5% 1/10W 1608	R1130	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R105	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608	R1131	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R105	0RH1100D622	MCR10EZHJ111 110OHM 5% 1/8W 2012 R/	R1133	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R105	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1134	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R1050	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1135	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/
R1052	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1136	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R1053	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1137	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R1056	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R1139	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R
R1057	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R114	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R
R1058	0RJ1003D677	MCR03EZPJ104 100KOHM 5% 1/10W 1608	R1140	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R1059	0RJ2702D677	MCR03EZPJ273 27KOHM 5% 1/10W 1608 R	R1141	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R106	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1148	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R106	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1150	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R106	0RH1101D622	MCR10EZHJ112 1.1KOHM 5% 1/8W 2012 R	R1151	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R106	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1152	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R1060	0RJ3302D677	MCR03EZPJ333 33KOHM 5% 1/10W 1608 R	R1157	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R1061	0RJ3302D677	MCR03EZPJ333 33KOHM 5% 1/10W 1608 R	R1158	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R1065	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1161	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R107	0RJ0752D677	MCR03EZPJ750 75OHM 5% 1/10W 1608 R/	R1162	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608
R107	0RH3301D622	MCR10EZHJ332 3.3KOHM 5% 1/8W 2012 R	R1164	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R108	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1165	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R108	0RH9101D622	MCR10EZHJ912 9.1KOHM 5% 1/8W 2012 R	R1166	0RJ3301D677	MCR03EZPJ332 3.3KOHM 5% 1/10W 1608
R109	0RJ0752D677	MCR03EZPJ750 75OHM 5% 1/10W 1608 R/	R1171	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R109	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP	R1185	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R110	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1186	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R110	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R119	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R110	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP	R120	0RJ1802D677	MCR03EZPJ183 18KOHM 5% 1/10W 1608 R
R1101	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R1200	0RJ0752D677	MCR03EZPJ750 75OHM 5% 1/10W 1608 R/
R1102	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/	R1201	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R1103	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R1202	0RJ0682D677	MCR03EZPJ680 68OHM 5% 1/10W 1608 R/
R1104	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1203	0RJ4703D677	MCR03EZPJ474 470KOHM 5% 1/10W 1608
R1107	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608	R1204	0RJ4702D677	MCR03EZPJ473 47KOHM 5% 1/10W 1608 R
R1108	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608	R1205	0RJ2203D677	MCR03EZPJ224 220KOHM 5% 1/10W 1608
R111	0RJ7501D677	MCR03EZPJ752 7.5KOHM 5% 1/10W 1608	R1207	0RJ2203D677	MCR03EZPJ224 220KOHM 5% 1/10W 1608
R111	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R1209	0RJ3002D677	MCR03EZPJ303 30KOHM 5% 1/10W 1608 R
R1113	0RJ0752D677	MCR03EZPJ750 75OHM 5% 1/10W 1608 R/	R121	0RJ1202D677	MCR03EZPJ123 12KOHM 5% 1/10W 1608 R
R1114	0RJ2203D677	MCR03EZPJ224 220KOHM 5% 1/10W 1608	R1210	0RJ2203D677	MCR03EZPJ224 220KOHM 5% 1/10W 1608
R1115	0RJ0752D677	MCR03EZPJ750 75OHM 5% 1/10W 1608 R/	R1211	0RJ4703D677	MCR03EZPJ474 470KOHM 5% 1/10W 1608
R1116	0RJ2203D677	MCR03EZPJ224 220KOHM 5% 1/10W 1608	R1212	0RJ2203D677	MCR03EZPJ224 220KOHM 5% 1/10W 1608
R1117	0RJ0752D677	MCR03EZPJ750 75OHM 5% 1/10W 1608 R/	R1213	0RJ4703D677	MCR03EZPJ474 470KOHM 5% 1/10W 1608

LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
R1214	0RJ0752D677	MCR03EZPJ750 75OHM 5% 1/10W 1608 R/	R1287	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R1215	0RJ1001D477	MCR03EZPF102 1KOHM 1% 1/10W 1608 R/	R1288	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R1216	0RJ1001D477	MCR03EZPF102 1KOHM 1% 1/10W 1608 R/	R1289	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R1219	0RJ0752D677	MCR03EZPJ750 75OHM 5% 1/10W 1608 R/	R129	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/
R122	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/	R1290	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R1220	0RJ2203D677	MCR03EZPJ224 220KOHM 5% 1/10W 1608	R1291	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R1221	0RJ0752D677	MCR03EZPJ750 75OHM 5% 1/10W 1608 R/	R1292	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R1222	0RJ0752D677	MCR03EZPJ750 75OHM 5% 1/10W 1608 R/	R1293	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R1223	0RJ2203D677	MCR03EZPJ224 220KOHM 5% 1/10W 1608	R1300	0RJ6202D677	MCR03EZPJ623 62KOHM 5% 1/10W 1608 R
R1224	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/	R1301	0RJ2402D677	MCR03EZPJ243 24KOHM 5% 1/10W 1608 R
R1225	0RJ1001D477	MCR03EZPF102 1KOHM 1% 1/10W 1608 R/	R1302	0RJ4700D677	MCR03EZPJ471 470OHM 5% 1/10W 1608 R
R1226	0RJ1001D477	MCR03EZPF102 1KOHM 1% 1/10W 1608 R/	R1303	0RJ1501D677	MCR03EZPJ152 1.5KOHM 5% 1/10W 1608
R1227	0RJ2201D477	MCR03EZPF222 2.2KOHM 1% 1/10W 1608	R1304	0RJ0432D677	MCR03EZPJ430 43OHM 5% 1/10W 1608 R/
R1228	0RJ2201D477	MCR03EZPF222 2.2KOHM 1% 1/10W 1608	R1305	0RJ0432D677	MCR03EZPJ430 43OHM 5% 1/10W 1608 R/
R1229	0RJ0752D677	MCR03EZPJ750 75OHM 5% 1/10W 1608 R/	R1307	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R123	0RJ0472C678	MCR01MZPJ470 47OHM 5% 1/16W 1005 R/	R1308	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R1230	0RJ0752D677	MCR03EZPJ750 75OHM 5% 1/10W 1608 R/	R1309	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R1231	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R131	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/
R1235	0RJ4703D677	MCR03EZPJ474 470KOHM 5% 1/10W 1608	R1310	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R1236	0RJ4703D677	MCR03EZPJ474 470KOHM 5% 1/10W 1608	R1311	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R1237	0RJ1001D477	MCR03EZPF102 1KOHM 1% 1/10W 1608 R/	R1312	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R1238	0RJ1001D477	MCR03EZPF102 1KOHM 1% 1/10W 1608 R/	R1313	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R1239	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1314	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R124	0RJ1200C678	MCR01MZPJ121 120OHM 5% 1/16W 1005 R	R1315	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/
R1240	0RJ0752D677	MCR03EZPJ750 75OHM 5% 1/10W 1608 R/	R1316	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/
R1241	0RJ0752D677	MCR03EZPJ750 75OHM 5% 1/10W 1608 R/	R1317	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608
R1242	0RJ0752D677	MCR03EZPJ750 75OHM 5% 1/10W 1608 R/	R1318	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608
R1243	0RJ0752D677	MCR03EZPJ750 75OHM 5% 1/10W 1608 R/	R1319	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R1244	0RJ0752D677	MCR03EZPJ750 75OHM 5% 1/10W 1608 R/	R1320	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R1245	0RJ0752D677	MCR03EZPJ750 75OHM 5% 1/10W 1608 R/	R1321	0RJ2001D677	MCR03EZPJ202 2KOHM 5% 1/10W 1608 R/
R125	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/	R1322	0RJ2001D677	MCR03EZPJ202 2KOHM 5% 1/10W 1608 R/
R1259	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/	R1323	0RJ4703D677	MCR03EZPJ474 470KOHM 5% 1/10W 1608
R126	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/	R1324	0RJ4703D677	MCR03EZPJ474 470KOHM 5% 1/10W 1608
R1260	0RJ2001D677	MCR03EZPJ202 2KOHM 5% 1/10W 1608 R/	R1327	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R1261	0RJ2001D677	MCR03EZPJ202 2KOHM 5% 1/10W 1608 R/	R1328	0RJ2200D677	MCR03EZPJ221 220OHM 5% 1/10W 1608 R
R1262	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1329	0RJ0101D677	MCR03EZPJ1R0 1OHM 5% 1/10W 1608 R/T
R1263	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R133	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/
R1264	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1330	0RJ0101D677	MCR03EZPJ1R0 1OHM 5% 1/10W 1608 R/T
R1270	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/	R1331	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R
R1271	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/	R1332	0RJ2200D677	MCR03EZPJ221 220OHM 5% 1/10W 1608 R
R1273	0RJ3301D677	MCR03EZPJ332 3.3KOHM 5% 1/10W 1608	R1333	0RJ2200D677	MCR03EZPJ221 220OHM 5% 1/10W 1608 R
R1274	0RJ0752D677	MCR03EZPJ750 75OHM 5% 1/10W 1608 R/	R1334	0RJ2200D677	MCR03EZPJ221 220OHM 5% 1/10W 1608 R
R1275	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1338	0RJ3901D677	MCR03EZPJ392 3.9KOHM 5% 1/10W 1608
R1276	0RJ3002D677	MCR03EZPJ303 30KOHM 5% 1/10W 1608 R	R134	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/
R1277	0RJ2203D677	MCR03EZPJ224 220KOHM 5% 1/10W 1608	R1345	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608
R1278	0RJ2203D677	MCR03EZPJ224 220KOHM 5% 1/10W 1608	R1346	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608
R1279	0RJ4702D677	MCR03EZPJ473 47KOHM 5% 1/10W 1608 R	R1347	0RJ0392D677	MCR03EZPJ390 39OHM 5% 1/10W 1608 R/
R128	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/	R1348	0RJ0392D677	MCR03EZPJ390 39OHM 5% 1/10W 1608 R/
R1280	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/	R1349	0RJ0392D677	MCR03EZPJ390 39OHM 5% 1/10W 1608 R/
R1281	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/	R1350	0RJ0392D677	MCR03EZPJ390 39OHM 5% 1/10W 1608 R/
R1282	0RJ2203D677	MCR03EZPJ224 220KOHM 5% 1/10W 1608	R1351	0RJ0122D677	MCR03EZPJ120 12OHM 5% 1/10W 1608 R/
R1283	0RJ2203D677	MCR03EZPJ224 220KOHM 5% 1/10W 1608	R1352	0RJ0122D677	MCR03EZPJ120 12OHM 5% 1/10W 1608 R/
R1284	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP	R1353	0RJ0122D677	MCR03EZPJ120 12OHM 5% 1/10W 1608 R/
R1285	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP	R1354	0RJ0122D677	MCR03EZPJ120 12OHM 5% 1/10W 1608 R/
R1286	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP	R1355	0RJ0122D677	MCR03EZPJ120 12OHM 5% 1/10W 1608 R/



LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
R1356	0RJ0122D677	MCR03EZPJ120 12OHM 5% 1/10W 1608 R/	R1456	0RJ1501D677	MCR03EZPJ152 1.5KOHM 5% 1/10W 1608
R1357	0RJ0122D677	MCR03EZPJ120 12OHM 5% 1/10W 1608 R/	R146	0RJ2701D677	MCR03EZPJ272 2.7KOHM 5% 1/10W 1608
R1358	0RJ0122D677	MCR03EZPJ120 12OHM 5% 1/10W 1608 R/	R1460	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R
R1359	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1461	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R
R136	0RJ0472C678	MCR01MZPJ470 47OHM 5% 1/16W 1005 R/	R1462	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R
R1360	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1463	0RJ1003D677	MCR03EZPJ104 100KOHM 5% 1/10W 1608
R1361	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1465	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R
R1362	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1466	0RJ1201C678	MCR01MZPJ122 1.2KOHM 5% 1/16W 1005
R1363	0RD3301A609	RDM92T1J3K30 3.3KOHM 5% 1/2W 6.5X2.	R1467	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/
R1364	0RJ7500D677	MCR03EZPJ751 750OHM 5% 1/10W 1608 R	R1468	0RJ1201C678	MCR01MZPJ122 1.2KOHM 5% 1/16W 1005
R1365	0RJ7500D677	MCR03EZPJ751 750OHM 5% 1/10W 1608 R	R1469	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R1366	0RJ7500D677	MCR03EZPJ751 750OHM 5% 1/10W 1608 R	R147	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/
R137	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/	R1477	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R138	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R1478	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R139	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/	R148	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/
R140	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/	R149	0RJ2701D677	MCR03EZPJ272 2.7KOHM 5% 1/10W 1608
R1400	0RJ1501D677	MCR03EZPJ152 1.5KOHM 5% 1/10W 1608	R150	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/
R1401	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608	R151	0RJ0472C678	MCR01MZPJ470 47OHM 5% 1/16W 1005 R/
R1402	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R152	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/
R1403	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R153	0RJ0472C678	MCR01MZPJ470 47OHM 5% 1/16W 1005 R/
R1404	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/	R154	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R
R1405	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/	R155	0RJ3303D677	MCR03EZPJ334 330KOHM 5% 1/10W 1608
R1406	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R157	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/
R1407	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1607	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R1408	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R1608	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R1409	0RJ1500D677	MCR03EZPJ151 150OHM 5% 1/10W 1608 R	R1609	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R1410	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R162	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/
R1411	0RJ2200D677	MCR03EZPJ221 220OHM 5% 1/10W 1608 R	R163	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/
R1412	0RJ2200D677	MCR03EZPJ221 220OHM 5% 1/10W 1608 R	R164	0RJ1202D677	MCR03EZPJ123 12KOHM 5% 1/10W 1608 R
R1413	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R165	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R
R1414	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R166	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/
R1415	0RJ2200D677	MCR03EZPJ221 220OHM 5% 1/10W 1608 R	R167	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R
R1416	0RJ2200D677	MCR03EZPJ221 220OHM 5% 1/10W 1608 R	R168	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R
R1417	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R169	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R1418	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R170	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R1419	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R1703	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R
R142	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/	R1704	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R
R1420	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R1706	0RJ0332C678	MCR01MZPJ330 330OHM 5% 1/16W 1005 R/
R1421	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R1708	0RJ0332D677	MCR03EZPJ330 330OHM 5% 1/10W 1608 R/
R1422	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R1709	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R
R1423	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R1710	0RJ0222C678	MCR01MZPJ220 220OHM 5% 1/16W 1005 R/
R1429	0RJ1001C678	MCR01MZPJ102 1KOHM 5% 1/16W 1005 R/	R1713	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608
R143	0RJ2701D677	MCR03EZPJ272 2.7KOHM 5% 1/10W 1608	R1714	0RJ0222C678	MCR01MZPJ220 220OHM 5% 1/16W 1005 R/
R1430	0RJ1201C678	MCR01MZPJ122 1.2KOHM 5% 1/16W 1005	R1715	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R1431	0RJ1201C678	MCR01MZPJ122 1.2KOHM 5% 1/16W 1005	R1716	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R
R1433	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	R1717	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R
R1436	0RJ1201C678	MCR01MZPJ122 1.2KOHM 5% 1/16W 1005	R1718	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R
R1438	0RJ1201C678	MCR01MZPJ122 1.2KOHM 5% 1/16W 1005	R1719	0RJ0332D677	MCR03EZPJ330 330OHM 5% 1/10W 1608 R/
R1439	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	R1720	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R
R144	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/	R1721	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608
R145	0RJ2701D677	MCR03EZPJ272 2.7KOHM 5% 1/10W 1608	R1722	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R
R1452	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R1724	0RJ0332C678	MCR01MZPJ330 330OHM 5% 1/16W 1005 R/
R1453	0RJ4703D677	MCR03EZPJ474 470KOHM 5% 1/10W 1608	R1725	0RJ0222C678	MCR01MZPJ220 220OHM 5% 1/16W 1005 R/
R1454	0RJ4703D677	MCR03EZPJ474 470KOHM 5% 1/10W 1608	R1726	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R1455	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608	R1727	0RJ0332D677	MCR03EZPJ330 330OHM 5% 1/10W 1608 R/





LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
R238	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R558	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R239	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R600	0RJ0332D677	MCR03EZPJ330 33OHM 5% 1/10W 1608 R/
R241	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R603	0RJ0332D677	MCR03EZPJ330 33OHM 5% 1/10W 1608 R/
R242	0RJ0222C678	MCR01MZPJ220 22OHM 5% 1/16W 1005 R/	R604	0RJ0332D677	MCR03EZPJ330 33OHM 5% 1/10W 1608 R/
R243	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/	R605	0RJ0332D677	MCR03EZPJ330 33OHM 5% 1/10W 1608 R/
R244	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/	R606	0RJ0332D677	MCR03EZPJ330 33OHM 5% 1/10W 1608 R/
R245	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/	R607	0RJ0332D677	MCR03EZPJ330 33OHM 5% 1/10W 1608 R/
R246	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/	R608	0RJ0332D677	MCR03EZPJ330 33OHM 5% 1/10W 1608 R/
R247	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/	R609	0RJ0332D677	MCR03EZPJ330 33OHM 5% 1/10W 1608 R/
R248	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/	R610	0RJ0332D677	MCR03EZPJ330 33OHM 5% 1/10W 1608 R/
R249	0RJ0222C678	MCR01MZPJ220 22OHM 5% 1/16W 1005 R/	R611	0RJ0332D677	MCR03EZPJ330 33OHM 5% 1/10W 1608 R/
R250	0RJ0222C678	MCR01MZPJ220 22OHM 5% 1/16W 1005 R/	R612	0RJ0332D677	MCR03EZPJ330 33OHM 5% 1/10W 1608 R/
R251	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/	R613	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R255	0RJ4701D477	MCR03EZPF472 4.7KOHM 1% 1/10W 1608	R624	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R256	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R625	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R257	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/	R626	0RJ0332D677	MCR03EZPJ330 33OHM 5% 1/10W 1608 R/
R258	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/	R627	0RJ1003D677	MCR03EZPJ104 100KOHM 5% 1/10W 1608
R259	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/	R629	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R260	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/	R632	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/
R403	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R633	0RJ0472D677	MCR03EZPJ470 47OHM 5% 1/10W 1608 R/
R407	0RJ1202D677	MCR03EZPJ123 12KOHM 5% 1/10W 1608 R	R636	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608
R414	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/	R637	0RJ4700D677	MCR03EZPJ471 470OHM 5% 1/10W 1608 R
R415	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/	R639	0RJ0822D677	MCR03EZPJ820 82OHM 5% 1/10W 1608 R/
R416	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R640	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R417	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R642	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R
R422	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608	R644	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/
R437	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/	R646	0RJ2700D677	MCR03EZPJ271 270OHM 5% 1/10W 1608 R
R438	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R647	0RJ2200D677	MCR03EZPJ221 220OHM 5% 1/10W 1608 R
R439	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R648	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/
R441	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R649	0RJ1500D677	MCR03EZPJ151 150OHM 5% 1/10W 1608 R
R446	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R650	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R448	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R651	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R521	EBC32306001	MCR03EZPF5FX9100 910OHM 1% 1/10W 160	R652	0RJ2001D677	MCR03EZPJ202 2KOHM 5% 1/10W 1608 R/
R522	0RJ9311D477	MCR03EZPF9311 9.31KOHM 1% 1/10W 160	R653	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R
R523	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/	R654	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R524	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R655	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R
R526	0RJ2001D677	MCR03EZPJ202 2KOHM 5% 1/10W 1608 R/	R657	0RJ0102D677	MCR03EZPJ100 10OHM 5% 1/10W 1608 R/
R527	0RJ2001D677	MCR03EZPJ202 2KOHM 5% 1/10W 1608 R/	R658	0RJ2201D677	MCR03EZPJ222 2.2KOHM 5% 1/10W 1608
R528	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R659	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R531	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R662	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R534	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R663	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R536	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R664	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R537	0RJ1502D677	MCR03EZPJ153 15KOHM 5% 1/10W 1608 R	R665	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R539	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R666	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R540	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R667	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R541	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R668	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R543	0RJ1502D677	MCR03EZPJ153 15KOHM 5% 1/10W 1608 R	R669	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R544	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R670	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R547	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R671	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R548	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R672	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R550	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R673	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R554	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R674	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R555	0RJ2202D677	MCR03EZPJ223 22KOHM 5% 1/10W 1608 R	R675	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R556	0RJ4302D677	MCR03EZPJ433 43KOHM 5% 1/10W 1608 R	R676	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP
R557	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/	R677	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP

LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
R678	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP	R755	0RJ1002C678	MCR01MZPJ103 10KOHM 5% 1/16W 1005 R
R679	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP	R756	0RJ0222C678	MCR01MZPJ220 22OHM 5% 1/16W 1005 R/
R680	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP	R757	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R
R681	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP	R759	0RJ0562D677	MCR03EZPJ560 56OHM 5% 1/10W 1608 R/
R682	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP	R762	0RJ1002C678	MCR01MZPJ103 10KOHM 5% 1/16W 1005 R
R684	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP	R764	0RJ0562D677	MCR03EZPJ560 56OHM 5% 1/10W 1608 R/
R685	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP	R767	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R686	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP	R769	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/
R687	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP	R770	0RJ0152D677	MCR03EZPJ150 15OHM 5% 1/10W 1608 R/
R688	0RH0000D622	MCR10EZHJ000 0OHM 5% 1/8W 2012 R/TP	R771	0RJ0222C678	MCR01MZPJ220 22OHM 5% 1/16W 1005 R/
R700	0RJ0222C678	MCR01MZPJ220 22OHM 5% 1/16W 1005 R/	R772	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R
R701	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R775	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R
R702	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	R777	0RJ0332C678	MCR01MZPJ330 33OHM 5% 1/16W 1005 R/
R703	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	R778	0RJ1002C678	MCR01MZPJ103 10KOHM 5% 1/16W 1005 R
R704	0RJ0222C678	MCR01MZPJ220 22OHM 5% 1/16W 1005 R/	R779	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R
R705	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	R780	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608
R707	0RJ1002C678	MCR01MZPJ103 10KOHM 5% 1/16W 1005 R	R781	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R708	0RJ0222C678	MCR01MZPJ220 22OHM 5% 1/16W 1005 R/	R782	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R
R709	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	R783	0RJ1002C678	MCR01MZPJ103 10KOHM 5% 1/16W 1005 R
R710	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	R784	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/
R711	0RJ1002C678	MCR01MZPJ103 10KOHM 5% 1/16W 1005 R	R785	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R
R712	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/	R786	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R
R713	0RJ0332C678	MCR01MZPJ330 33OHM 5% 1/16W 1005 R/	R787	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/
R715	0RJ0332C678	MCR01MZPJ330 33OHM 5% 1/16W 1005 R/	R788	0RJ0332D677	MCR03EZPJ330 33OHM 5% 1/10W 1608 R/
R717	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	R790	0RJ0152D677	MCR03EZPJ150 15OHM 5% 1/10W 1608 R/
R718	0RJ1000D677	MCR03EZPJ101 100OHM 5% 1/10W 1608 R	R791	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608
R720	0RJ1002C678	MCR01MZPJ103 10KOHM 5% 1/16W 1005 R	R792	0RJ0222C678	MCR01MZPJ220 22OHM 5% 1/16W 1005 R/
R722	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R793	0RJ1002C678	MCR01MZPJ103 10KOHM 5% 1/16W 1005 R
R723	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/	R794	0RJ1002C678	MCR01MZPJ103 10KOHM 5% 1/16W 1005 R
R724	0RJ0332D677	MCR03EZPJ330 33OHM 5% 1/10W 1608 R/	R795	0RJ0222C678	MCR01MZPJ220 22OHM 5% 1/16W 1005 R/
R725	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	R796	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R
R726	0RJ2000C678	MCR01MZPJ201 200OHM 5% 1/16W 1005 R	R797	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R
R727	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	R798	0RJ0222C678	MCR01MZPJ220 22OHM 5% 1/16W 1005 R/
R728	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R799	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608
R729	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608	R800	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R731	0RJ0332C678	MCR01MZPJ330 33OHM 5% 1/16W 1005 R/	R801	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R733	0RJ0562D677	MCR03EZPJ560 56OHM 5% 1/10W 1608 R/	R805	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/
R734	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	R807	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R735	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R808	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R736	0RJ0222C678	MCR01MZPJ220 22OHM 5% 1/16W 1005 R/	R810	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/
R737	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608	R811	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/
R739	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	R812	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R
R740	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/	R813	0RJ0222C678	MCR01MZPJ220 22OHM 5% 1/16W 1005 R/
R741	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	R816	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R743	0RJ0222C678	MCR01MZPJ220 22OHM 5% 1/16W 1005 R/	R818	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R
R744	0RJ0000C678	MCR01MZPJ000 0OHM 5% 1/16W 1005 R/T	R821	0RJ1500C678	MCR01MZPJ151 150OHM 5% 1/16W 1005 R
R745	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R822	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R746	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R823	0RJ3000C678	MCR01MZPJ301 300OHM 5% 1/16W 1005 R
R747	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	R825	0RJ3000C678	MCR01MZPJ301 300OHM 5% 1/16W 1005 R
R748	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	R826	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R749	0RJ0222C678	MCR01MZPJ220 22OHM 5% 1/16W 1005 R/	R827	0RJ1500C678	MCR01MZPJ151 150OHM 5% 1/16W 1005 R
R750	0RJ0332C678	MCR01MZPJ330 33OHM 5% 1/16W 1005 R/	R829	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T
R751	0RJ0222D677	MCR03EZPJ220 22OHM 5% 1/10W 1608 R/	R837	0RJ4701D677	MCR03EZPJ472 4.7KOHM 5% 1/10W 1608
R752	0RJ0332C678	MCR01MZPJ330 33OHM 5% 1/16W 1005 R/	R843	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R
R754	0RJ0562D677	MCR03EZPJ560 56OHM 5% 1/10W 1608 R/	R857	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R

LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
R859	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	CA1	6631900133E	"Harness,SingleLVDS FULL HD (JAE) FI"
R860	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	CA10	6631T20032B	"Harness,SinglePHR-12P PHR-12P 600mM"
R877	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	CA11	EAD36608901	"Harness,SingleSMH200-12P SMH200-12P"
R880	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	CA12	6631900098F	"Harness,SingleSMH250 35097/35098 12"
R881	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	CA13	6631900097F	"Harness,SingleYEONHO)SMH250 35097/3"
R882	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	CA14	6631T20037D	"Harness,SinglePHR-12P PHR-12P 700mM"
R883	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	CA15	6631T20037E	"Harness,SinglePHR-12P PHR-12P 300mM"
R884	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	CA16	6631900063G	"Harness,Single6631900063G SMH200 SM"
R885	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	CA2	EAD30301901	"Harness,SingleDMS 4P CONNECTOR ASSY"
R886	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	CA3	6631900099A	"Harness,SingleSMH250 SMP250 300mM 2"
R888	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	CA4	6631900010S	"Harness,Single12P 2.0MM 1000MM SMH2"
R891	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	CA5	6631900012C	"Harness,SingleSMH250 SMH250 200mM 2"
R892	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	CA6	EAD36184801	"Harness,SingleSMH250 SMH250 400MM 2"
R893	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	CA7	6631900027C	"Harness,SingleSMH250 SMH250 200mM 2"
R894	0RJ1000C678	MCR01MZPJ101 100OHM 5% 1/16W 1005 R	CA8	6631T20033E	"Harness,SingleSMH200-14P SMH200-14P"
R897	0RJ1500D677	MCR03EZPJ151 150OHM 5% 1/10W 1608 R	CA9	6631T20041B	"Harness,Single12P-12P(PHR) PHR-12 P"
R898	0RJ1500D677	MCR03EZPJ151 150OHM 5% 1/10W 1608 R	<b>JACKS</b>		
R900	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	J1000	6612B00015B	DC1R019WDH SOCKET 21P STRAIGHT SMD
R901	0RJ1002D477	MCR03EZPF103 10KOHM 1% 1/10W 1608 R	J1001	6612B00015B	DC1R019WDH SOCKET 21P STRAIGHT SMD
R902	0RJ2002D477	MCR03EZPF203 20KOHM 1% 1/10W 1608 R	J1101	6612F00099A	PEJ024-01 1P 4P STRAIGHT TR 3.6MM B
R910	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	J1200	6612M00010A	PSC003-01 21P 21P/1C 3.81MM STRAIGH
R911	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	J1201	6612M00010A	PSC003-01 21P 21P/1C 3.81MM STRAIGH
R913	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	J1203	6612J10031B	PPJ209-01 14.0MM 1RX3C ANGLE BK SCR
R915	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/	J600	6612J10023A	KCN-BT-0-0053 10.5MM/11.5MM 1RX1C S
R916	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	JK100	6612J10033A	PMJ016-13 13P DIN/RCA 14MM ANGLE DI
R917	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	<b>SWITCHes</b>		
R918	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	SW100	EBF32593901	TMUE312GAB 1C1P 12VDC 0.5A VERTICAL
R919	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	SW101	140-313B	KPT-1115AM 1C1P 12VDC 0.05A HORIZON
R920	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	SW102	140-313B	KPT-1115AM 1C1P 12VDC 0.05A HORIZON
R923	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/	SW103	140-313B	KPT-1115AM 1C1P 12VDC 0.05A HORIZON
R924	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	SW104	140-313B	KPT-1115AM 1C1P 12VDC 0.05A HORIZON
R925	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	SW105	140-313B	KPT-1115AM 1C1P 12VDC 0.05A HORIZON
R926	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	SW106	140-313B	KPT-1115AM 1C1P 12VDC 0.05A HORIZON
R928	0RJ0000D677	MCR03EZPJ000 0OHM 5% 1/10W 1608 R/T	SW107	140-313B	KPT-1115AM 1C1P 12VDC 0.05A HORIZON
R930	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	SW108	140-313B	KPT-1115AM 1C1P 12VDC 0.05A HORIZON
R932	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/	SW700	EBF32593901	TMUE312GAB 1C1P 12VDC 0.5A VERTICAL
R933	0RJ1001D677	MCR03EZPJ102 1KOHM 5% 1/10W 1608 R/	<b>OTHERs</b>		
R934	0RJ1002D677	MCR03EZPJ103 10KOHM 5% 1/10W 1608 R	B1	3890TKD002P	BoxLB500J(PCB) BRAND 542*397*445
<b>CONNECTOR</b>			B2	3890TKD002Q	BoxRZ-42LZ30 BRAND PCB MATER CARTON
J1100	6630G70016A	"Connector,DSUBA03-7071-094 D-SUB 15"	B3	3890900400A	BoxBOX SW 376 286 50 1 COLOR ACCESS
J1102	6630G70017A	"Connector,DSUBA02-0915-101 D-SUB 9P"	B4	MAY36501002	BoxBOX DW 1214 890 394 2 COLOR 47LB
P100	6602T25008B	"Connector,WaferSMW250-03P 3P 2.50MM"	B5	3890TKD002P	BoxLB500J(PCB) BRAND 542*397*445
P100	6602T20009L	"Connector,WaferSMAW200-12P 12P 2.00"	B6	3890TKD002P	BoxLB500J(PCB) BRAND 542*397*445
P100	6602T20009C	"Connector,WaferSMAW200-04P 4P 2.00MM"	B7	MAY30431315	BoxBOX DW 1214 180 394 NO PRINTING
P101	6602T20008N	"Connector,WaferSMW200-14P 14P 2.00MM"	D100	ODLLT0110AA	"LED,DIPLTL-1BEHJ-1 ROUND 3MM RED OR"
P101	6602T20009C	"Connector,WaferSMAW200-04P 4P 2.00MM"	IC100	6712000013A	Receiver ModuleTSOP4438SO1 4.5TO5.5
P1105	6602T20008L	"Connector,WaferSMW200-12P 12P 2.00MM"	J400	68719ST996A	"PCB Assembly,SubSUB T.T LD61A 32LC2"
P1300	6602T25008B	"Connector,WaferSMW250-03P 3P 2.50MM"	P1	3918TKK038J	Packing538*390 LB500J PCB
P1301	6602T25008C	"Connector,WaferSMW250-04P 4P 2.50MM"	P10	3918TKK040A	Packing542*70 MAIN PCB(B)
P1400	6602T20008N	"Connector,WaferSMW200-14P 14P 2.00MM"	P11	3918TKK038J	Packing538*390 LB500J PCB
P801	6630V93270A	"Connector,WaferFI-RE51S-HFK-A 51P 0"			
P900	6602T25008M	"Connector,WaferSMW250-13P 13P 2.50MM"			
P901	6602T25008J	"Connector,WaferSMW250-10P 10P 2.50MM"			

LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION	LOC. NO.	PART NO.	DESCRIPTION / SPECIFICATION
P12	3918TKK038J	Packing538*390 LB500J PCB			
P13	400-C17F	Packing(1000X1050)CS771 DIGITAL			
P14	3918TKK040B	Packing397*70 LB500J MAIN PCB(S)			
P15	3918TKK040A	Packing542*70 MAIN PCB(B)			
P16	400-C02X	"PackingCARTON(840*1200,SCQ466)"			
P17	MFZ37705801	"PackingMOLD EPS 47LC4,5,7 Round Sta"			
P2	MFZ37372401	PackingBOX DW 575 50 395 NO PRINTIN			
P3	3918TKK038P	Packing1140*790 FOR L1515SL			
P4	3918TKK038V	Packing(565*385) RZ-42LZ30			
P5	400-C17F	Packing(1000X1050)CS771 DIGITAL			
P6	3918TKK040A	Packing542*70 MAIN PCB(B)			
P7	3918TKK040B	Packing397*70 LB500J MAIN PCB(S)			
P8	400-C17F	Packing(1000X1050)CS771 DIGITAL			
P9	3918TKK040B	Packing397*70 LB500J MAIN PCB(S)			
TU600	EBL32961502	"Tuner,DigitalTDFC-G106P DVB-T/PAL 1"			
X100	6212AC2002B	Crystal9H03200164 32.768KHZ 20PPM 1			
X101	6212AB2883A	CrystalHC-49SM 27.00000MHZ 27MHZ 30			
X1300	156-A02R	CrystalEUA18.4320F16E33L 18.432MHZ			
X700	6212AB2015J	CrystalHC-49SM 19.66080HZ 19.6608HZ			